



ENVIRONMENTAL FEATURES:

- Passes EPA tests for substances that might dissolve into the ecosystem.
- 80% less mercury protects the environment from excess mercury in discarded lamps. Use a cleaner, low-mercury gas for a more crisper, cleaner light output APPROVED FOR DOMESTIC DISPOSAL.
- Saves money on lamp disposal cost and offers more disposal options.
- Krypton/Argon Gas mixture for reduced energy consumption.
- No loss in performance – high efficiency offers the same color temperature as a standard fluorescent lamp.



T5 LINEAR FLUORESCENT LAMPS

Enjoy top lamp performance with PQL's signature fluorescent lamps. Built stronger to last longer, these lamps outperform the competition, providing the best overall value for a superior product.

- **ENERGY EFFICIENT**
uses about 1/5 as much electricity as an incandescent lamp to produce the same amount of light.
- **BRASS PINS**
for better contact with sockets.
- **METAL ENDS**
for increased durability.
- **STRONGER LEAD-IN WIRES**
- **EXTENDED LIFE PHOSPHORS**
blended scientifically to reduce color shift and provide consistent light over the life of the lamp.
- **TRIPLE TUNGSTEN CATHODE**
a heavy duty, triple wound filament physically 50% longer than the competition. This gives the filament 50% more emitter paste and a theoretical 50% boost in life hours. Coated with rare earth oxides to lengthen cathode life.

LOW MERCURY ENVIRO-LUME™ CERTIFIED

All of our signature linear fluorescents are Low Mercury Enviro-Lume™ Certified to protect the environment and allow for convenient domestic disposal.

CHARACTERISTICS AND SPECIFICATIONS

BULB	NOMINAL WATTAGE	BASE	CODE	DESCRIPTION	INITIAL LUMENS	MEAN LUMENS	COLOR TEMP K	CRI	CASE QTY	NOMINAL LENGTH
T5	14	MINI BI PIN	91700	F14T5/830- SUPERIOR LIFE®	1350	1256	3000K	85	40	22.2
T5	14	MINI BI PIN	91709	F14T5/841- SUPERIOR LIFE®	1350	1256	4100K	85	40	22.2
T5	14	MINI BI PIN	91701	F14T5/SKY-BRITE PLUS®	1300	1209	5000K	85	40	22.2
T5	21	MINI BI PIN	91702	F21T5/830- SUPERIOR LIFE®	2100	1953	3000K	85	40	34
T5	21	MINI BI PIN	91704	F21T5/835- SUPERIOR LIFE®	2100	1953	3500K	85	40	34
T5	21	MINI BI PIN	91705	F21T5/841- SUPERIOR LIFE®	2100	1953	4100K	85	40	34
T5	21	MINI BI PIN	91703	F21T5/SKY-BRITE PLUS®	2000	1860	5000K	85	40	34
T5	24	MINI BI PIN	91714	F24T5/841/HO- SUPERIOR LIFE®	2000	1650	4100K	85	40	24
T5	24	MINI BI PIN	91715	F24T5/SKY-BRITE PLUS®/HO	1940	1600	5000K	85	40	24
T5	28	MINI BI PIN	91706	F28T5/830- SUPERIOR LIFE®	2900	2697	3000K	85	40	45.8
T5	28	MINI BI PIN	91713	F28T5/835- SUPERIOR LIFE®	2900	2697	3500K	85	40	45.8
T5	28	MINI BI PIN	91708	F28T5/841- SUPERIOR LIFE®	2900	2697	4100K	85	40	45.8
T5	28	MINI BI PIN	91707	F28T5/SKY-BRITE PLUS®	2825	2620	5000K	85	40	45.8
T5	35	MINI BI PIN	91710	F35T5/830- SUPERIOR LIFE®	3650	3396	3000K	85	40	60
T5	35	MINI BI PIN	91712	F35T5/841- SUPERIOR LIFE®	3650	3395	4100K	85	40	60
T5	35	MINI BI PIN	91711	F35T5/SKY-BRITE PLUS®	3500	3255	5000K	85	40	60
T5	39	MINI BI PIN	91716	F39T5/830/HO- SUPERIOR LIFE®	3500	3100	3000K	85	40	36
T5	39	MINI BI PIN	91718	F39T5/841/HO- SUPERIOR LIFE®	3500	3100	4100K	85	40	36
T5	39	MINI BI PIN	91717	F39T5/SKY-BRITE PLUS®/HO	3500	3100	5000K	85	40	36
T5	49	MINI BI PIN	91726	F54T5/841/HO/49W- SUPERIOR LIFE®	4850	4600	4100K	85	40	48
T5	49	MINI BI PIN	91727	F54T5/SKY-BRITE PLUS®/HO/49W	4750	4420	5000K	85	40	48
T5	49	MINI BI PIN	91728	F54T5/VITA-BRITE®/HO/49W	4950	4600	5700K	85	40	48
T5	54	MINI BI PIN	91719	F54T5/830/HO-SUPERIOR LIFE®	4950	4700	3500K	85	40	48
T5	54	MINI BI PIN	91720	F54T5/835/HO- SUPERIOR LIFE®	4950	4700	3500K	85	40	48
T5	54	MINI BI PIN	91722	F54T5/841/HO- SUPERIOR LIFE®	4850	4600	4100K	85	40	48
T5	54	MINI BI PIN	91723	F54T5/SKY-BRITE PLUS®/HO	4850	4600	5000K	85	40	48
T5	54	MINI BI PIN	91724	F54T5/VITA-BRITE®/HO	4850	4600	5700K	85	40	48